



REVISIONS:

DATE: AUGUST 28, 2012


DRAWN BY: RLC

SHEET TITLE:

WALL SECTIONS

SHEET NO:

A-8



STANDING SEAM METAL ROOF EAVE - ALLOW FOR ROOF EXPANSION AS REQ'D.

JOIST BEARING SEE STRUCTURAL

TYPE 'A' - 1/8" THICK INSULATED METAL PANEL (IMP) WITH CONT. SUPPORT AT EACH PANEL JOINT IN SOFFIT

PRE-FIN METAL CROCKET ON TAPERED ROOF ROOF INSULATION

STANDING SEAM METAL ROOF TERMINATION

1/2" OPSM BOARD CEILING ON 3/8" METAL STUDS @ 24" OC. SUSPENDED FROM STRUCTURE ABOVE

ALUMINUM WINDOW FRAME W/ 1" INSULATING GLASS (BEYOND)

PRE-FIN METAL CAP FLASHING

JOIST BEARING SEE STRUCTURAL

ALUMINUM WINDOW FRAME W/ 1" INSULATING GLASS (BEYOND)

METAL ROOF DECK ON STEEL BAR JOISTS (IMP) SEE STRUCT.

STANDING SEAM METAL ROOF ON ROOF VAL-BASE INSUL. (TYPICAL)

2x6 WOOD FRAMING ABOVE WINDOW HEAD ANCHOR SOLIDLY TO STRUCTURE

1/2" PLYWOOD SHEATHING FULL-THICK PART INSULATION

2'-0"

JOIST BEARING SEE STRUCTURAL

ONE-PIECE HEAVY WEIGHT RECEIVER ALLOW 3/8" VERTICAL MOVEMENT

TYPE 'A' - 1/8" THICK INSULATED METAL PANEL (IMP) WITH CONT. SUPPORT AT EACH PANEL JOINT IN SOFFIT

1/2" OPSM BOARD CEILING ON 3/8" METAL STUDS @ 24" OC. SUSPENDED FROM STRUCTURE ABOVE

ALUMINUM WINDOW FRAME W/ 1" INSULATING GLASS

ALUMINUM WINDOW FRAME W/ 1" INSULATING GLASS (BEYOND)

ALUMINUM WINDOW FRAME W/ 1" INSULATING GLASS (BEYOND)

1/4" FORMED ALUMINUM WALL CAP

PRE-FIN METAL WALL FLASHING WITH STANDING BEAMS AND CLEATS @ 16" OC. OVER SELF-ADHERING UNDERLAINMENT & 1/2" PLYWOOD SHEATHING ON TREATED WOOD FRAMING

STANDING SEAM METAL ROOF ON ROOF VAL-BASE INSUL. (SEE DET 1/A-T)

VARIES

SEEP. ACROSS CEILING

ALUMINUM & GLASS DOORS, ALUMINUM WINDOW FRAME W/ 1" INSULATING GLASS (BEYOND)

10 1/2"

1/2" TYPE 'X' OPSM BOARD EACH SIDE OF 3/8" METAL STUDS @ 24" OC. (ONE HOUR FIRE RATING)

STANDING SEAM METAL ROOF ON ROOF VAL-BASE INSUL. (TYPICAL)

2'-0"

JOIST BEARING VARES

TYPE 'A' - 1/8" THICK INSULATED METAL PANEL (IMP) WITH CONT. SUPPORT AT EACH PANEL JOINT IN SOFFIT

ONE-PIECE HEAVY WEIGHT RECEIVER ALLOW 3/8" VERTICAL MOVEMENT

ALUMINUM WINDOW FRAME W/ 1" INSULATING GLASS

STANDING SEAM METAL ROOF (BEYOND)

ALUMINUM WINDOW FRAME W/ 1" INSULATING GLASS

PRE-FIN METAL CAP FLASHING

STANDING SEAM METAL ROOF ON ROOF VAL-BASE INSUL. (SEE DET 1/A-T)

JOIST BEARING VARES

TREATED WOOD BLOCKING ANCHOR SOLIDLY TO STRUCTURE (IMP)

STEEL BEAM (SEE STRUCT.)

3/8" OPSM BOARD

3/8" METAL STUDS @ 16" OC. ANCHOR TO STRUCTURE - FULL-THK. PART INSULATION

TYPE 'A' - 1/8" THICK INSULATED METAL PANEL (IMP) WITH CONT. SUPPORT AT EACH PANEL JOINT IN SOFFIT

ONE-PIECE HEAVY WEIGHT RECEIVER ALLOW 3/8" VERTICAL MOVEMENT

ALUMINUM WINDOW FRAME W/ 1" INSULATING GLASS